



# LANDSCAPE PRODUCT GUIDE

Landscape Irrigation | Lighting  
Water Features | Outdoor Living  
Artificial Turf | Drainage | Tools



**WOLF CREEK CO.**  
DISTRIBUTION

WolfCreekCompany.com | (937) 529-2155



## WHY WOLF CREEK?

Our commitment is *To Make Your Life Easier* and when you partner with us you get:

- Efficient and well-stocked branch **LOCATIONS**
- Save time with our impeccable **DELIVERY** service or even more time with our **WOLF DEN** inventory system
- **EXPERTISE:** our team becomes a trusted extension of your business
- **TRAINING & CEUs:** on-line • on-site • on-demand
- **PEACE OF MIND:** Green Industry strength with 60 years of experience serving Ohio, Kentucky and Pennsylvania

**Stop by at one of our branch locations or give us a call.  
We look forward to serving you!**

**CINCINNATI**  
(513) 489-8455

**CLEVELAND**  
(440) 735-1702

**COLUMBUS**  
(614) 985-3070

**DAYTON**  
(937) 247-0355

**LEXINGTON**  
(859) 225-1223

**LOUISVILLE**  
(502) 244-7373

**PITTSBURGH**  
(412) 788-9177

**TROTWOOD HQ**  
(937) 529-2155

## TABLE OF CONTENTS



**IRRIGATION  
PRODUCT  
LINES** 3



**LANDSCAPE  
LIGHTING** 5



**PATIO  
LIGHTING** 11



**WATER  
GARDENING** 13



**FOUNTAINS** 18



**OUTDOOR  
SPEAKERS** 19



**ARTIFICIAL  
TURF** 21



**DRAINAGE** 22



**TOOLS** 24



**SERVICES &  
LOCATIONS** 27



# IRRIGATION PRODUCT LINES



Wolf Creek is the area's leading distributor for residential, commercial, and sports field irrigation products. We offer the broadest selection and deepest inventories of irrigation supplies and components from the leading brands.



FLINT & WALLING



Additional products and options are available. Contact your Wolf Creek representative for more information.



# OUTDOOR LIGHTING

*Accent Lights, Path Lights, Hardscape Lights, In-Ground, Color-Changing, Transformers, Patio Lighting, and more*

Outdoor lighting is one of the fastest growing categories in the landscape industry - it gets dark every night! We believe that we have the best-stocked warehouses anywhere plus the most knowledgeable sales staff. We carry lights, transformers, and accessories from industry-leading brands ensuring that your next lighting installation will be a success.



## KICHLER®



### VARIABLE LUMEN OUTPUT ACCENT LIGHT - SMALL

- Output can be switched with magnet tool from 2W to 3.5W or 5.0W, equivalent to 10, 20, and 35W halogen.
- Standard in 3000K warm white, 2700K pure white by special order
- AZT Architectural bronze standard, other colors available

**16015** Small 15° Spot

**16016** Small 35° Flood

**16017** Small 60° Wide Flood



### VARIABLE LUMEN OUTPUT ACCENT LIGHT - LARGE

- Output can be switched with magnet tool from 5.25W to 8W or 12W
- Standard in 3000K warm white, 2700K pure white by special order

**16018** Large 15° Spot

**16019** Large 35° Flood

**16020** Large 60° Wide Flood



### INTEGRATED LED ACCENT LIGHT (GEN 1.5)

- Industry-leading integrated fixture is even more efficient and precise than previous versions
- Standard in 3000K
- AZT architectural bronze standard, other colors available

**16150** 10° Spot, 2.5W

**16151** 35° Flood, 2.5W

**16152** 60° Wide Flood, 2.5W

**16153** 10° Spot, 3.5W

**16154** 35° Flood, 3.5W

**16155** 60° Wide Flood, 3.5W

**16156** 10° Spot, 7W

**16157** 35° Flood, 7W

**16158** 60° Wide Flood, 7W



### CAST BRASS HAMMERED ROOF PATH LIGHT

- 4 watt warm white
- TZT tannery bronze

**15871TZT**



### SIDE MOUNT PATH LIGHT

- AZT architectural bronze, 20" height x 6" diameter

**15815AZT30R**



### CENTER MOUNT PATH LIGHT

- AZT architectural bronze, 22.25" height x 6" diameter

**15826AZT27R**



### TRADITIONAL PATH LIGHT "LLENA"

- 4 watt, 3000k warm white
- AZT architectural bronze, 22.5" height x 6.25" diameter

**15820AZT30R**



### DOME PATH LIGHT

- 4 watt, 3000k warm white
- AZT architectural bronze, 22" height x 8.25" diameter

**15810AZT30R**



### INTEGRATED LED HARDSCAPE

- Adjustable fixture can pivot 180° for direct to surface install and pivot 270° when installed with bracket

**16100** 3" length, 1 LED, 0.25 watts

**16101** 6" length, 3 LED, 0.75 watts

**16102** 12" length, 6 LED, 1.5 watts

**16103** 18" length, 9 LED, 2.5 watts

Additional products and options are available. Contact your Wolf Creek representative for more information.





## KICHLER®



### CENTENNIAL BRASS

A family of matching high-grade fixtures value-priced for the professional. These fixtures use drop-in LED lamps, purchased separately.

- 15483** MR-8 Accent Light
- 15517** MR-16 Louvered Body Brass Accent Light
- 15475** MR-16 12V Brass Accent Light
- 15476** Wall-Washer / Flood Light
- 15478** Brass 21"H x 6.75" Path Light
- 15480CBR** Brass 23.25" H x 8.5" diameter Path Light
- 15490CBR** Recessed Niche Light, Plain Lens, uses MR-8 light
- 15492CBR** Recessed Niche Light, Louvered Lens Cover, uses MR-8 lamp
- 15491CBR** Recessed Niche Light, Cowl Cover, uses MR-8 Lamp



### DECK LIGHT

- 3.75" width, 2.25" height, 2.5 watts
- 15765AZT30R**



### HAMMERED ROOF DECK LIGHT

- 3.5" width, 2.25" height, 2.5 watts
- 15763TZT27R**



### CENTER MOUNT PATH LIGHT

- 5" width, 2.5 watts
- 15782AZT30R**



### PRO SERIES STAINLESS STEEL TRANSFORMER

- Commercial grade toroid core and coil submersible rating
  - Pluggable timer and photocell outlets
  - Lifetime Warranty
- 15PR100SS** 100 watt  
**15PR200SS** 200 watt  
**15PR300SS** 300 watt  
**15PR600SS** 600 watt  
**15PR900SS** 900 watt  
**15PR1200SS** 1200 watt



### MR-16 WARM WHITE LED LAMPS

- 18126** 285 lumens, 15° beam, 20W equivalent
- 18128** 285 lumens, 25° beam, 20W equivalent
- 18130** 285 lumens, 40° beam, 20W equivalent
- 18132** 285 lumens, 60° beam, 20W equivalent
- 18134** 365 lumens, 15° beam, 35W equivalent
- 18136** 365 lumens, 25° beam, 35W equivalent
- 18138** 365 lumens, 40° beam, 35W equivalent
- 18140** 365 lumens, 60° beam, 35W equivalent



### T-3 WM WHITE LED LAMPS

- 18201** 285 lumens, 10W equivalent
- 18207** 215 lumens, 20W equivalent



### T-5 WM WHITE LED LAMP

- 18199** 85 lumens, 10W equivalent
- 18205** 215 lumens, 20W equivalent



### S-8 WEDGE LED LAMP

- 18203** 215 lumens, 20W equivalent

Additional products and options are available. Contact your Wolf Creek representative for more information.



## WAC

### LANDSCAPE LIGHTING



#### 5011 INTEGRATED LED ACCENT LIGHT 12V

- Adjustable internal brightness control: 2W to 16W, 190 lumens to 1045 lumens
- Adjustable beam angle: 10° to 60°
- Easily tailor light output on-site to exact needs



#### 5111 INTEGRATED LED ACCENT LIGHT 12V

- Adjustable internal brightness control: 1W to 7W, 45 lumens to 365 lumens
- Adjustable beam angle: 10° to 50°



#### 5211 INTEGRATED LED GRAND ACCENT LIGHT 12V

- Adjustable internal brightness control: 15W to 33W, 740 lumens to 1,000 lumens
- Adjustable beam angle: 15° to 60°



#### 5021 INTEGRATED LED WALL WASHER LIGHT 12V

- Adjustable internal brightness control: 2W to 16W, 190 lumens to 980 lumens
- Patent pending optical design (even coverage at 15° upwards, 50° x 80°)



#### 5121 INTEGRATED LED MINI WALL WASHER LIGHT 12V

- Adjustable internal brightness control: 1W to 8W, 80 lumens to 420 lumens



#### TIKI PATH LIGHT

- 22" high, 6.5 watts
- 604130B2**



#### PATH AND AREA LIGHT

- 22" high, 7.5" diameter, 5.8 watts
- 601130BZ**



#### CANOPY LIGHT

- 22" high, 8.5" diameter, 6.5 watts
- 605130BZ**



#### INTEGRATED LED IN-GROUND LIGHT 12V

- 3" diameter, bronze finish
- 503130BZ**



#### LED DECK & PATIO LIGHT

- 3 3/8" diameter, 60 lumens, 2.8 watts
- 302130BZ**



#### SURFACE MOUNTED STEP LIGHT

- 5" diameter, 55 lumens, 4 watts
- 450130BZ**



#### 12V OUTDOOR TAPE LIGHTING

- 10' long; submersible up to 5 feet
  - May be tied into any 12V landscape lighting system
  - Flexible linear lights may be cut to desired length at the end of a run
- 810130BK**

Additional products and options are available. Contact your Wolf Creek representative for more information.



# LANDSCAPE LIGHTING

## WAC

### LANDSCAPE LIGHTING



#### WAC MAGNETIC TRANSFORMERS

- Taps for 12V, 13V, 14V, and 15V. Knock outs for power and photocell connections. 3-prong outlet for timer. Outdoor rated.

**9150-TRN-SS** 150 Watt

**9300-TRN-SS** 300 Watt

**9600-TRN-SS** 600 Watt



#### 203130SS SUBMERSIBLE IN-GROUND

- 4 watt, 2" diameter, includes a detachable mounting bracket for use in or out of water



#### 5511 UNDERWATER SPOT LIGHT

- Cast brass construction, machined brass thumb screw, IP68 rated, suitable for continuous immersion, under water in depths up to 3'
- 30' lead wire included



#### HARDSCAPE LIGHTS - INTEGRATED LED

- Dual CCT and integral brightness control
- Hardscape easily detaches from capstone bracket after installation

**71822730BZ** 18" length, 8.5 watts

**71222730BZ** 12" length, 7.0 watts

**70622730BZ** 6" length, 4.0 watts

**70322730BZ** 3" length, 1.4 watts



#### LIGHTING WIRE

**14-2-250** 14 gauge lighting wire - 250' Spool

**16-2-250** 16 gauge lighting wire - 250' Spool

**12-2-250-C** 12 gauge lighting wire - 250' Spool

**10-2-250-C** 10 gauge lighting wire - 250' Spool



#### WIRE SPLICES

**20230** DBR/Y-600 King Direct Bury Splice

**61125** Small wire splice - black and white wire nut used for 14, 16, and 18 gauge wire

**61235** Medium wire splice - black and gray wire nut used for 12, 14, 16, and 18 gauge wire



#### TIMERS

**7C-112** 24 Hour Mechanical Timer used inside a transformer

**DTC-200L** Astronomical Timer: Auto adjusts based on sunrise and sunset



#### BRILLIANCE WI-FI SMART SOCKET 2

- Designed specifically to upgrade standard transformers to Wi-Fi control
- Provides remote control of lighting system from anywhere in the world
- Remote on/off, timer mode, and astronomic mode from mobile device

Additional products and options are available. Contact your Wolf Creek representative for more information.





## FXLuminaire®



### NP ACCENT LIGHT

- Die-cast aluminum
- Available in 3LED, 6LED, 9LED and dim / color



### PB WALL WASH

- Die-cast aluminum or brass
- Available in 1LED or 3LED and dim / color



### LC WALL WASH

- Largest wall-wash up light
- Projects a broad spectrum of light
- Available in 1, 3, 6 and 9 LED



### TM PATH LIGHT

- Aluminum
- 5" diameter, 15" height
- Available in 1LED, 3LED and dim / color



### PL PATH LIGHT

- Aluminum
- 6" diameter, 15" height
- Available in 1LED, 3LED and dim / color



### LF HARDSCAPE LIGHT

- LED under-the-cap hardscape wall light
- Available in 1LED and dim / color



### DE DOWNLIGHT

- Create both ambiance and function, and mimic the effects of natural moonlight.
- Available in 3LED, 6LED, 9LED and dim / color



### RS ACCENT LIGHT

- Die-cast aluminum
- Interchange lamps to create custom effects



### LUXOR CONTROL CENTER

- 150 watt or 300 watt
- Offers lighting control with zoning, dimming, and RGBW color creation capabilities, plus optional Wi-Fi control using Luxor® technology



### LUXOR CUBE MODULE

With the Luxor CUBE, the Luxor controller can now zone and dim other brands of low voltage fixtures.



### EX TRANSFORMER

150 watt economical, low-wattage power and control option for LED lighting projects



### DX TRANSFORMER

The only digital facepack-controlled transformer with astronomical timing and event-based programming capabilities pre-installed, so there is no need for plug-in accessories such as timers and photocells. Available in 150 or 300 watt.

Additional products and options are available. Contact your Wolf Creek representative for more information.



# LANDSCAPE LIGHTING

## ALLIANCE OUTDOOR LIGHTING



### BL200-BT

- Color-changing cast brass bullet light, aged brass finish
- 4-8 Wattage, 15-350 Lumen Output, 40° beam spread



### BT-RE RANGE EXTENDER

- 5 db external antenna
- 10 foot wire lead, 16 AWG, brown, pre-connected to the fixture for easy wire connection



### BL200-LED5W

- Cast brass bullet light, aged brass finish
- 5 watt MR16 LED Lamp included



### BL400-BT

- Highest lumen output available
- 4-8 Wattage, 15-900 Lumen Output, 40° beam spread



### FL50-BT

- Color-changing cast brass flood light, aged brass finish
- 2-5 Wattage, 15-350 Lumens, 120° beam spread"



### FL200-LED5W

- Brass flood light, aged brass finish
- 5 watt MR16 LED lamp included



### UL100-BT

- Color-changing underwater brass fixture, aged brass finish
- 4-8 Wattage, 15-350 Lumens, 40° beam spread



### AREA LIGHT HATS

- Brass area light hat, aged brass finish

AL100  
AL150



### ALSTEM18-LED

- Area Stem Light
- 18" Brass stem, aged brass finish
- Area light hats sold separately



### WL100-LED-8W

- ABS Grate, black
- 8 watt PAR36 LED lamp included



### SL25-LED

- Integrated LED surface mount step light
- 7 watts, 570 lumens



### SL75-LED

- Integrated LED step light
- LED strip, 8 chips, 3 watts, 300 lumens



### IT150

- 150 watt intelligent transformer
- Bluetooth ready, phone app driven



### IT300

- 300 watt intelligent transformer
- Bluetooth ready, phone app driven



### ITIMER

- Astronomical timer
- 120V Input, 15 amp capacity

Additional products and options are available. Contact your Wolf Creek representative for more information.



## COMMERCIAL GRADE LIGHTING WIRE

- Heavy-duty wire offers E26 sockets spaced every 24" to create impressive lighting displays for events and facilities of all types
- Available in 48' and 96' lengths; length includes 1' lead and tail
- String across pergolas, shade structures or beams
- Suspended soft edge socket design with 4" drop provide better illumination and weather-tight seal.
- Included is an eyelet for attaching optional additional support
- Available in 12-volt or 120-volt



## LED S14 CLASSIC "SIGN LAMP" SHAPE BULBS

- Long-life, energy efficient COB LED with 10% the consumption of incandescent
- 1 Watt per bulb
- Bulbs can be used in new installations or in retrofitting an old system
- Available in 12 volt or 120 volt
- Available in warm white, pure white, or warm white - amber tinted



## INSTALLATION KITS

### PP-KIT-E26S-C For structural installations

- (25) 3/16" Ceiling hooks
- (50) 3/8" Cable clamps & screws

### PP-KIT-E26S-C For suspended cable installations

- (110') 1/16" Galvanized cable (7x7)
- (60) 4" Zip ties
- (10) 2 5/8" x 1/4" Lock bolts for masonry
- (12) 1/16" Adjustable cable rope clamps
- (10) 1/4" Eye nuts
- (10) 1/4" Eye screws
- (6) 10/24" Eye/Hook Turnbuckles

Additional products and options are available. Contact your Wolf Creek representative for more information.





# OUTDOOR LIVING

*Water Gardening, Fountains &  
Aerators, Outdoor Speakers*

Outdoor living continues to gain popularity in the landscape industry as people continue to spend more time at home and on “staycations”. There are lots of ways to help your customers upgrade their outdoor living areas including water gardens, outdoor kitchens and more. We are committed to providing you the highest quality products and will help make sure you provide the highest quality installation.



## COLOR CHANGING FALLS

Illuminated waterfalls are the most versatile way to add light and water to your landscape or hardscape.

- Designed to install easily in any wall, indoors or out, whether stone, brick, block, stucco, tile or wood
- Generous weir openings resist clogging and create a thicker, fuller sheer for extra color and less wind deflection

**CC06** 6" width

**CC12** 12" width

**CC24** 24" width

**CC36** 36" width



## BASIN KIT FOR COLORFALLS

- Provides everything you need to install Colorfalls, WaterWalls and Spillways
- Includes basin, Splash Mat, pump, plumbing, PVC glue, adjustment valve and Auto Fill, all in one box

**CFBASINKIT12** Contains TW2400 pump & works with the CC06 and CC12 color changing falls

**CFBASINKIT24** Contains TW2400 pump and works with the CC24 color changing falls

**CFBASINKIT36** Contains TW3700 pump and works with the CC36 color changing falls



## PS3900 SKIMMER

- 6" weir width; 3,900 gph pump flow rate



## PS4600 SKIMMER

- 6" weir width; 4,000 gph pump flow rate



## PS7000 SKIMMER

- 9" weir width; 7,000 gph pump flow rate



## BF1900 FILTER FALLS

- 19" spillway; 2,500 to 4,000 gph pump flow rate



## BF2600 FILTER FALLS

- 26" spillway; 4,000 to 6,000 gph pump flow rate



## BF3800 FILTER FALLS

- 38" spillway; 6,000 to 8,000 gph pump flow rate



## SP1900 FAST FALLS

- 20.5" x 17" x 10.25"; 19" waterfall width; 4,000 gph pump flow rate



## SP2600 FAST FALLS

- 27.5" x 17" x 10.25"; 26" waterfall width; 6,000 gph pump flow rate

Additional products and options are available. Contact your Wolf Creek representative for more information.





### PV1800 PUMP BASIN

- 18" x 24"; 10,000 gph pump flow rate



### PV18EXT EXTENSION FOR PUMP BASIN

- 6" weir width; 4,000 gph pump flow rate



### PV2300 PUMP BASIN

- 23" x 30"; 15,000 gph pump flow rate



### PV23EXT EXTENSION FOR PUMP BASIN

- 21.5" x 19.5" x 17"



### FB3200 FOUNTAIN BASIN

- 23" x 13"; 2,000 gph pump flow rate; 32 gallon capacity



### FB4600 FOUNTAIN BASIN

- 46" x 13"; 4,000 gph pump flow rate; 67 gallon capacity



### ECORISE20 FOR BOULDER PLACEMENT

- 20" x 20" x 3"; Maximum load 3,000lbs



### ECOBLOX WATER STORAGE MATRIX

- Capacity 31.5 gallons



### NBC 24 BASALT COLUMN

- 10" x 24" column for use with FB2400 basin and FP400 pump



### NBC 30 BASALT COLUMN

- 10" x 30" column for use with FB3200 basin and FB500 pump



### NBC 36 BASALT COLUMN

- 10" x 36" column for use with FB4600 basin and FP500 pump



### NBCX3 COLUMN KIT

- Contains all three columns for use with FB4600 basin, FBKIT3 and TT2000 pump



### SS SERIES STAINLESS SPILLWAYS

**SS12** 12" Stainless Steel Spillway, projection: 9-10" at 18"H & 1,200gph 1.5" FIPT

**SS24** 24" Stainless Steel Spillway, projection: 9-10" at 18"H & 2,400gph 1.5" FIPT

**SS36** 36" Stainless Steel Spillway, projection: 9-10" at 18"H & 3,600gph 1.5" FIPT



### TR215CV CHECK VALVE

- Works with both 1.5" and 2" hose



### CV30 CHECK VALVE

- Works with 3" hose

Additional products and options are available. Contact your Wolf Creek representative for more information.





### WSM-S MANTOVA WALL SPOUT

- Projection: 14-16" at 18"H & 600gph



### WSR-O RAVENNA WALL SPOUT

- Projection: 14-16" at 18"H & 600gph



### WSV-S VERONA WALL SPOUT

- Projection: 14-16" at 18"H & 600gph



### WSO-O OLIVETT WALL SPOUT

- Projection: 14-16" at 18"H & 600gph



### MD SERIES MAG DRIVE PUMPS

Magnetic induction pumps provide years of service in the demanding conditions of smaller ponds, waterfalls and fountains. Better flows at higher heads, a longer warranty and are easier to service.

- MD550** 550 gph, 40 watts
- MD1000** 1000gph, 90 watts
- MD1500** 1500gph, 165 watts



### TRION3 IONIZER

Electric water clarifier. Releases copper ions to reduce algae growth without need for chemicals



### LF1325 FOAM GUN CLEANER



### TT SERIES PUMPS

Asynchronous pumps combine the efficiency of Magnetic Induction with the power of Direct Drive geometry, keeping operating and ownership costs to a minimum. Pumps more water for less watts regardless of water chemistry. Compact design fits the tightest pump chambers. Excellent resistance to fouling.

- TT2000** Max pump flow: 2,640 gph
- TT3000** Max pump flow: 3,000 gph
- TT4000** Max pump flow: 4,490 gph
- TT5000** Max pump flow: 5,150 gph
- TT6000** Max pump flow: 6,600 gph
- TT7500** Max pump flow: 7,650 gph
- TT9000** Max pump flow: 8,800 gph



### VARIABLE SPEED PUMP CONTROLLER

**TWVSC** For use with TT-Series Pumps up to 800 watts; includes 2.4Hz Remote Control



### AF1000 WATER FILL VALVE

Maintains a consistent water level in all Atlantic Skimmers, Pump Vaults, Colorfalls and Fountain Basins



### LF1100 FALLSFOAM

12oz. can DIY Black Waterfall Foam with applicator straw



### LF1310 PRO FOAM GUN

### LF1300 FALLS FOAM

29oz. can Professional Black Waterfall Foam



### LF1315 PRO FOAM GUN

Professional Foam Gun (composite, for use with 29 oz. cans)

Additional products and options are available. Contact your Wolf Creek representative for more information.



## CLARITYBLAST - COMBO POND CLEANER

Pond Cleaner cleans waterfalls, streams, ponds, plant pots and filters. Atlantic's ClarityBlast is an all-natural proprietary treatment with bacteria and enzymes. Keeps pond water and hard surfaces clean by removing attached organics.

- WTCB1** 1lb / treats 8,000 gallons
- WTCB2** 2lb / treats 16,000 gallons
- WTCB6** 6lb / treats 48,000 gallons



## ECOSOLV LIQUID POND CLEANER

Water clarifiers clear discolored water in ponds, streams, waterfalls and bubblers. Atlantic's EcoSolv extra strength formula is the fastest water clarifier on the market.

- WTES16** 16oz / treats 9,600 gallons
- WTES32** 32oz / treats 19,200 gallons
- WTES1G** 1 gal / treats 76,800 gallons



## ECOKLEAN OXY POND CLEANER

Oxy pond cleaners quickly remove attached organics and algae stains from rocks, waterfalls and streambeds. Atlantic's EcoKlean fast dissolving granules lift debris to the surface with the power of pure oxygen.

- WTEK1** 1lb / treats 400 sq. ft.
- WTEK2** 2lb / treats 800 sq. ft.
- WTEK10** 10lb / treats 4,000 sq. ft.



## REFRESH COLORFALLS & FOUNTAIN TREATMENT

Fountain treatments keep fountains clean and free from stains, sludge and odors.

- WTRF16** 16oz / treats 1,600 gallons
- WTRF32** 32oz / treats 3,200 gallons



## BIOMAX - WEEKLY BIOLOGICAL CONDITIONER

Beneficial bacteria metabolize organic waste and neutralize odors. Contains billions of potent microbial strains plus enzymes. Improved ecological balance lowers nitrates that promote unwanted plant growth.

- WTBM1** 1lb / treats 16,000 gallons
- WTBM2** 2lbs / treats 32,000 gallons
- WTBM6** 6lbs / treats 96,000 gallons



## BIOMAX+ ENHANCED BIOLOGICAL CONDITIONER

Liquid bacterial formula naturally removes organic debris, ammonia and nitrates. Atlantic's BioMax+ balances pond ecosystem, enhances bacterial activity and seeds biological filters.

- WTBM16** 16oz / treats 6,000 gallons
- WTBM32** 32oz / treats 12,000 gallons
- WTBM1G** 1 gal / treats 48,000 gallons



## REVIVE - DECHLORINATOR WITH STRESS REDUCER

Dechlorinators remove fish-toxic chlorine, chloramines, ammonia and heavy metals in tap water. Atlantic's ReVive with stress reducer thickens the slime coat of Goldfish and Koi in times of stress.

- WTRV16** 16oz / treats 3,200 gallons
- WTRV32** 32oz / treats 6,400 gallons


Additional products and options are available. Contact your Wolf Creek representative for more information.



## BOXED POND LINER

Convenient Pre-cut Pump Liner for features of all sizes and types. Trim to the exact size you need.

- LI810B** 8'x10' boxed liner
- LI1010B** 10'x10' boxed liner
- LI1015B** 10'x15' boxed liner
- LI1515B** 15'x15' boxed liner
- LI1520B** 15'x20' boxed liner
- LI1525B** 15'x25' boxed liner
- LI2020B** 20'x20' boxed liner
- LI2025B** 20'x25' boxed liner



## POND NETTING

Netting keeps out leaves and other wind blown debris for a clean pond in the fall and spring

- PN1015** 10'x15'
- PN1520** 15'x20'
- PN2030** 20'x30'



## FLEXIBLE PVC PIPE

- FH1525** 1.5"x25' PVC Black Flex Pipe
- FH225** 2"x25' PVC Black Flex Pipe
- FH250** 2"x50' PVC Black Flex Pipe
- FH350** 3"x50' PVC Black Flex Pipe



## KINK FREE PIPE

- KF75100** 3/4"x100' PVC Kink-Free Tubing



## GARDEN & POND LED LIGHTING

Atlantic Lighting products are all fully compatible with current and previous generations

- WWCS2** 2-watt spotlight
- WWCS4** 4-watt spotlight
- WWFL2** 2-watt fountain light
- WWRL5** 5-watt fountain light



## ROLLED POND LINER

- LIR1050** 10'x50'
- LIR2050** 20'x50'



## TR3WAY THREE WAY DIVERTER

- Manifold for using hoses; For use with FB4600



## FBKIT3 FOUNTAIN BASIN KIT

- For use with TW1200-2400 and MD1000 & 2000 pumps. Contains 3 way diverter



## FBKIT1 FOUNTAIN BASIN KIT

- For use with TW250-750 and FP200-500



## PD300 POND DE-ICER

Allows oxygen to diffuse into pond water otherwise sealed off by ice, while toxic carbon dioxide and methane from decomposing organics diffuse out. Efficient heating element only draws 300 watts.

Additional products and options are available. Contact your Wolf Creek representative for more information.





## J SERIES DECORATIVE FOUNTAINS

Kasco J Series Decorative Fountains give you the versatility, performance, and reliability you need. Ranging from 1/2HP to 7.5HP, there is a Kasco J Series Fountain perfect for any size pond or lake. Their corrosion and clog resistant technology offers reliability that is unparalleled by any other outdoor fountain brand. All J Series Fountains come with multiple nozzles that deliver elegant spray patterns.



## VFX SERIES AERATING FOUNTAINS

Kasco VFX Series Aerating Fountains set the standard by which all aerating pond fountains are measured. These units deliver both superior oxygenation and aesthetic brilliance, making this a true dual-purpose fountain. As the leader in pond aeration, Kasco's VFX aerating fountains have been designed with their clog-resistant technology to ensure you are buying the most efficient unit on the market. Use the VFX Series in your pond, on the lake, in a landscaped water body, or even in industrial applications to help promote evaporation.



## SUBSURFACE AERATION

Subsurface aeration can reduce pond muck, improve water quality, boost dissolved oxygen, eliminates thermocline and helps project fish in a pond. Aeration circulates and mixes water to eliminate stratified layers of warmer, surface water and the colder, deeper water, to create an oxygen rich environment throughout your pond.



## BENEFICIAL BACTERIA

Control and eliminate sludge and foul odor in tanks, ponds, and lakes. Beneficial bacteria & enzymes reduce much, neutralize odors and clean water.

- Non-toxic to humans, fish, wildlife and livestock
- No permit is required for use



## LED LIGHT KITS

Add optional LED lighting for beautiful night effects. Low energy cost. Choice of colored lenses.



Additional products and options are available. Contact your Wolf Creek representative for more information.



## SUBTERRAIN PRO SUBWOOFERS

Wolf Creek Company is excited to offer the SubTerrain Pro Series of outdoor subwoofers from TruAudio. Enhancing your customers' outdoor living space with music has become a standard. Great audio, simple design and clean installs are what TruAudio does best.

TruAudio's outdoor SubTerrain™ Pro Series has upgraded to a 40% smaller footprint that enables easier ground installation along with:

- Convenient built-in handles
- A sealed-enclosure in order to eliminate the chance of water leaking into the enclosure
- The woofer is also positioned methodically on top of the chamber to allow serviceability without having to dig up the entire subwoofer
- Included anchor points on the exterior of the sub in order to avoid floating up out of the dirt when in high-moisture environments
- A better output to blow your outdoor guests out of the park.

Subwoofers are available in a 10" and 12" model. TruAudio also offers all the other components necessary to create the sound systems to blow your customers away.



Additional products and options are available. Contact your Wolf Creek representative for more information.





# LANDSCAPE PRODUCTS

*Artificial Turf, Drainage, Tools, Geo  
Ripper Trencher*

Wolf Creek is equipped with supplies to help you complete all your landscaping jobs. Whether it's tools, drainage, or more - we are committed to ensuring a successful installation or application. Our knowledgeable sales staff is sure to provide the best service around.





## **EASYTURF**<sup>®</sup> A FieldTurf Company

You may be surprised to hear about artificial turf in the Midwest - however, there are many applications for it here. And with EasyTurf, you know you're getting a high quality product. EasyTurf's UltimateGrass products have a proprietary, 100% permeable, non-absorbent backing. EasyTurf's backing drains 10 times faster than natural grass and better than any other synthetic turf surface available. Other turf surfaces can't effectively drain which can quickly leads to bacteria buildup and odor.



### **DOG RUNS**

EasyTurf's artificial grass for pets contains innovative drainage capabilities, along with its realistic look and feel. Because of its artificial grass durability, EasyTurf has proven to stand up to the most challenging of pets and its low maintenance features make it easy to keep a beautiful, problem-free lawn last all year!



### **PUTTING GREENS**

EasyTurf's putting greens deliver an authentic look and feel, giving you a true golfing experience right at home. EasyTurf is the highest quality provider of professional-grade backyard synthetic home putting greens, providing unparalleled realism in terms of surface quality and aesthetics.



### **PLAYGROUNDS**

EasyTurf's artificial grass provides a surface that is safer, cleaner, and more comfortable than any other synthetic turf out there. It also greatly reduces threats from grass allergies, insects and unwanted pests. It has met fall height requirement tests for up to 12 feet, and is extremely durable yet non-abrasive.



### **HARD TO IRRIGATE AREAS**

Around pools, hardscaped areas, and roof tops can be difficult places to irrigate and grass can be hard to maintain and keep green. These are areas where artificial turf may be a good option. Installation is easy and can save you a lot of work down the line.

Additional products and options are available. Contact your Wolf Creek representative for more information.



# DRAINAGE



## 9" CATCH BASINS

**NDS-900** 9"x9" Catch Basin, 2 openings

**NDS-1200BKIT** 9" x 9" Catch Basin kit (includes - basin, black grate, 1-outlet, 1-plug)



## 9" GRATES

**NDS-980** 9" Square Grate, Black

**NDS-990** 9" Square Grate, Green

**NDS-999** 9" Square Grate, Gray

**NDS-981** 9" Atrium Grate, Black

**NDS-991** 9" Atrium Grate, Green



## 12" CATCH BASINS

**NDS-1200** 12"x12" Catch Basin, 2 openings

**NDS-1203** 12" x 12" Catch Basin, 3 openings

**NDS-1204** 12" x 12" Catch Basin, 4 openings

**NDS-1200BKIT** 12" x 12" Catch Basin kit (includes - basin, black grate, 1-outlet, 1-plug)



## 12" GRATES

**NDS-1211** 12" Square Grate, Black

**NDS-1212** 12" Square Grate, Green

**NDS-1212S** 12" Square Grate, Sand

**NDS-1213** 12" Square Grate, Cast Iron

**NDS-1218** 12" Botanical Decorative grate, black



## SPEE-D CHANNEL GRATES

**NDS-241** 2 ft. Channel Grate, Gray

**NDS-243** 2 ft. Channel Grate, Black



## 18" CATCH BASINS

**NDS-1884** 18" One Piece Catch Basin, 4 openings

**NDS-1800** 18" Expandable Catch Basin, 2 openings

**NDS-1804** 18" Expandable Catch Basin, 4 openings



## 18" GRATES

**NDS-1811** 18" Square Grate, Black

**NDS-1812** 18" Square Grate, Green


**NDS-1813** 18" Square Grate, Cast Iron

**NDS-1881** 18" Atrium Grate, Black



## PRO SERIES CHANNEL

**NDS-864** 5" x 1 meter light traffic grate & channel drain kit (includes 1 end outlet & 1 end cap)



## SPEE-D CHANNEL DRAIN

**NDS-400** 4 ft. Channel Drain, Gray

**NDS-400-10** 10 ft. Channel Drain, Gray

**NDS-243** 2 ft. Bottom Outlet with strainer, Gray



## SPEE-D CHANNEL FITTINGS

**NDS-247** Channel End Outlet, Gray

**NDS-248** Channel Coupling, Gray

**NDS-249** 3" & 4" Offset End Outlet

Additional products and options are available. Contact your Wolf Creek representative for more information.



## CORROGATED PIPE

- 4010100** 4" Perforated
- 4510100** 4" Plain (No Holes)
- 6010100** 6" Perforated
- 6510100** 6" Plain (No Holes)
- 4730100** 4" w/sock
- 6730100** 6" w/sock
- DTS1020** 10" Culvert Pipe



## CORRUGATED FITTINGS



	4 INCH	6 INCH
<b>INTERNAL COUPLER</b>	DTFC4	DTFC6
<b>COUPLER</b>	0412AA	0612AA
<b>REDUCER NDS-451</b>	0614AA	
<b>TEE</b>	0421AA	0626AA
<b>WYE</b>	0422AA	0622AA
<b>ELL</b>	0490AA	0641AA
<b>PLUG (UNIV)</b>	NDS-1206	NDS-1206
<b>OUTLET (UNIV)</b>	NDS-1243	NDS-1266
<b>END CAP</b>	0432AA	0667AA
<b>DWNSPT ADAPTER</b>	0465AA	0664AA
<b>NDS-421</b>	Pop-Up Emitter	
<b>NDS-201</b>	Spee-D Basin 2-Basin	
<b>NDS-101</b>	Spee-D Basin 1-Basin	
<b>NDS-50</b>	6" Round Grate	



## EZFLOW FRENCH DRAIN

EZflow is an innovative gravel-free solution to traditional French drains.

- Increased capacity and a superior flow rate
- Installs without gravel, saving significant time
- 100+ year material lifespan

**EZ-0701F** 7" Mesh w/ 3" slotted pipe

**EZ-1001F** 10" Mesh w/ 4" slotted pipe




## SMOOTH WALL PIPE

**BEP040D3034S** 4" Solid 3034 Green

**BEP060D3034S** 6" Solid 3034 Green

**BEP040D2729S** 4" Solid 2729 White



## N-12 DUAL WALL PIPE

- 04110020IBDW** Perforated drain tile
- 04150020IBDW** Solid drain tile



## SMOOTH WALL FITTINGS

	4 INCH	6 INCH
<b>BEND</b>	SDP22S040	SDP22S060
<b>LONG TURN 90</b>	SDP90LT040	SDP90LT060
<b>SHORT TURN 90</b>	SDP90V040	SDP90V060
<b>TEE</b>	SDPT040	SDPT060
<b>WYE</b>	SDPY040	SDPY060
<b>ELL</b>	DFE90S040	DFE90S060
<b>DWNSPT ADAPTER</b>	<b>3"X4"X4"</b>	SDPDSA344
<b>COUPLER</b>	SDPCP040	SDPCP64 (4"X6")

Additional products and options are available. Contact your Wolf Creek representative for more information.





## CORONA®

SEASON AFTER SEASON



### 1 ROUND POINT SHOVEL

15 Gauge # 2 / 48" wood handle

**COR-SS26000**

### 2 3" TRENCHING SHOVEL

48" solid-core fiberglass handle, 13 gauge steel, 35° angle

**COR-SS64223**

### 3 4" TRENCHING SHOVEL

48" wood handle, 13 gauge steel, 28° angle

**COR-SS64304**

### 4 3" TRENCHING SHOVEL

48" wood handle, 13 gauge steel, 28° angle

**COR-SS64303**

### 5 4" TRENCHING SHOVEL

48" hollow-core fiberglass handle, 13 gauge steel, 35° angle

**COR-SS64124**

### 6 12" STEEL SPADE

54" steel handle, 12 gauge blade

**COR-AS90030**

### 7 EZ OUT - ALL STEEL

1/2" & 3/4" - for extraction for bro

**COR-UT65002**

### 8 HEAD TRIMMER

4" diameter sprinkler head trimmer - 14" T handle with rubber grips

**COR-UT66004**

### 9 SPRINKLER & VALVE KEY

48" steel handle, 2-prong design, 14" T handle with rubber grips

**COR-UT61000**

Additional products and options are available. Contact your Wolf Creek representative for more information.



**CORONA**

SEASON AFTER SEASON



**10 MEASURING WHEEL**  
3' measuring wheel with folding design & telescoping handle

**11 4' FIBERGLASS TILE PROBE**  
Cast metal pointed tip, T-cushion grip

**12 3' WIRE & SWING PIPE PLACER**  
Fiberglass 1/2" shaft, 3/4" nylon placer tip, handle end caps

**13 SOD TAMPER**  
8" x 8" heavy duty steel head, 48" all-steel handle, 12" double dip grip

**14 ADJUSTABLE WRENCH**  
Snap pins to square steels, 3'-5" steel telescoping handle

**15 6 CU. FT. WHEELBARROW**  
One-piece steel frame, steel with cushion grip, 15" flat-free knobby rubber tire

**16 DIGGING / WEEDING KNIFE W/ SHEATH**  
6.5" blade with tapered slicing edge, thumb rest, 4.5" comfort polymer handle

**17 BYPASS PRUNER**  
8" pruner, spring-open with steel latch; 3/4" capacity & 1" capacity

Additional products and options are available. Contact your Wolf Creek representative for more information.



# LANDSCAPE NECESSITIES

## MiniTrencher™

Say goodbye to traditional shovels and trenchers and experience the increased efficiency of MiniTrencher's GeoRipper. The GeoRipper is a portable, commercial handheld trencher that can be used alone or in conjunction with an EZ Kart. All GeoRippers are built with powerful two or four stroke engines by a brand you can trust, Makita.



- **INNOVATIVE:** SLR muffler recycles un-burned fuel vapor for up to 15% improved fuel consumption.
- **RELIABLE:** Start capacitor with start support function results in less pull start force.
- **CONVENIENT:** On-Off-Choke operation is on a single lever for operator convenience.
- **HIGH PERFORMER:** Five stage filtration system with advanced directional air flow leads to better engine performance.




### MAKE IT EVEN EASIER WITH AN EZ CART

- Compatible with all GeoRipper Models
- Disassembles easily for storage or transport
- Provides consistent digging for longer runs
- Quickly connected to GeoRipper trenchers
- Lightweight

Additional products and options are available. Contact your Wolf Creek representative for more information.



# DECORATIVE PANELS




## OUTDECO OUTDOOR DECORATIVE PANELS

OUTDECO Decorative Modular Panels are the key to transforming the style and character of your outdoor or indoor environment. Available in two sizes, three privacy levels, and a myriad of beautiful patterns ranging from natural to geometric. OUTDECO panels offer endless possibilities for outdoor and indoor installations. Choose these panels for many reasons:

- DURABILITY:** OUTDECO's unique hardwood board contains 97% fiber, making it termite resistant, more stable than natural kiln-dried hardwood timbers, and denser and harder than MDF. Their panels carry a 10-year limited warranty against material rot, bloat, or delamination.
- WORKABILITY:** The hardwood utilized in OUTDECO Decorative Modular Panel boards performs similarly to decking timber and can be trimmed and fabricated as per lumber. The core material of all OUTDECO panels is specifically engineered for outdoor vertical cladding and is easily mounted and installed.
- SUSTAINABILITY:** OUTDECO panel substrates contain none of the noxious synthetic additives found in other composite boards. Sourced from certified new-growth tracts and milled with no carbon footprint, the core of OUTDECO products is 97% hardwood fiber comprised of tailings and usable timber that otherwise would be wasted.
- DESIGNABILITY:** These panels can be repetitively 'tiled' in landscape or portrait configurations to create a variety of installation sizes and architectural effects. For an aesthetic that complements your space design, panels can be left unfinished to weather to their natural patina, or finished with a stain or paint of your choice



**USADSL1**  
**Leafstream**  
60% Privacy  
24"x48"



**USADSMJ1**  
**Mahjong**  
60% Privacy  
24"x48"



**USADSHE1**  
**Herringbone**  
80% Privacy  
24"x48"



**USADSMK1**  
**Marakesh**  
80% Privacy  
24"x48"



**USADSWM1**  
**Wooloomai**  
80% Privacy  
24"x48"



**USADSCM1**  
**Cumulus**  
90% Privacy  
24"x48"

Additional products and options are available. Contact your Wolf Creek representative for more information.



# SERVICES

We know that you have a choice on who to do business with. When it comes to a distributor - you want to be sure that you are selecting the distributor that provides you the most value. We think that Wolf Creek is that distributor, and part of the reason is the services we provide.



## DELIVERY

Our expert DELIVERY allows for your workers to stay on the job site, saving you many hours and improving your bottom line. Wolf Creek Delivery has become even better since we combined it with One&Done, our texting service.



## ONE & DONE

You can now send texts to the Wolf Creek branches with technical questions, orders and delivery information. Our staff will send you confirmation texts and pictures of delivery.



## TRAINING, EDUCATION & CEUS

For many years Wolf Creek Company has offered in-person classes at their branches. We now provide landscaping training, education and CEUs in new ways: on-line, on-site, and on-demand.



## WOLF DEN INVENTORY

What is a WolfDen? It is like having our branch at your shop! No more trips to get supplies. How does it work? Wolf Creek manages inventory that you have agreed to at a secure place, for example in your shop or in a container at a job site.

- We bring inventory to you which saves you hours of traveling to our branch
- There is no need to commit operating cash to inventory
- You reduce stock shrinkage losses
- You only pay for what you use, after you use it
- We monitor and restock so you will never run out
- You can view inventory stock levels in our WolfDen App.



## Take Your Blinders Off!

Founded 1961  
Bud Knowles

Additional products and options are available. Contact your Wolf Creek representative for more information.



## LOCATIONS

### CINCINNATI

11956 Tramway Drive  
Cincinnati, Ohio 45241  
(513) 489-8455

### CLEVELAND

26245B Broadway Avenue  
Bedford, Ohio 44146  
(440) 735-1702

### COLUMBUS

6700B Huntley Road  
Columbus, Ohio 43229  
(614) 985-3070

### DAYTON

1800 Alex Road  
West Carrollton, OH 45449  
(937) 247-0355

### TROTWOOD

6051 Wolf Creek Pike  
Dayton, OH 45426  
(937) 529-2155

### LEXINGTON

839 Contract Street  
Lexington, KY 40505  
(859) 225-1223

### LOUISVILLE

13030 Middletown  
Industrial Blvd  
Louisville, KY 40223  
(502) 244-7373

### PITTSBURGH

11-A Robinson Manor Blvd Ext  
McKees Rocks, PA 15136  
(412) 788-9177

## VISIT US ONLINE

[WolfCreekCompany.com](http://WolfCreekCompany.com)